



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	ADDED -07 BOTTOM FOAM, -09 TOP FOAM, -11 HARD CASE, -13 PLACARD, -15 DRIVE SCREWS.	12/10/13	CFS	



RBW895-3101-04-117



RBW109-3101-14-1




RBW895-3101-04-145

ASSY QTY	ASSY #	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	PG.
			-01	1	M/R BLADE BLOCKING & PROTECTOR TOOL		RBW895-3101-04-117	1
			-03	1	M/R BLADE TRIM TAB BENDER		RBW895-3101-04-145	1
			-05	1	M/R BLADE TAB BENDING GAUGE		RBW109-3101-14-1	1
			-07	1	BOTTOM FOAM	Y20, BLACK	14-5/8 X 19 I.R. SPECILTIES	2
			-09	1	TOP FOAM	Y20, BLACK	14-5/8 X 19 I.R. SPECILTIES	3
			-11	1	HARD CASE	PLASTIC, BLACK	14-5/8 X 19 PELICAN #1550	N/S
			-13	1	RED BARN PLACARD	ALUMINUM	RB41009	N/S
			-15	4	#2 DRIVE SCREW	COATED STEEL	1/8 MCMaster-CARR #90081A074	N/S
	ASSY #							


RED BARN MACHINE			
TITLE		M/R BLADE TRIM TAB TOOL KIT	
DWG NO.		RBW895-3101-04-201	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: PERRITT	
TOLERANCES ON:		APPROVED <i>D Weil</i>	
DECIMALS .XXX ± .005		METRIC REF. .Xmm ± .1mm	
XX ± .01		FRACTIONS ± 1/32	
X ± .1		ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL	
		AGUSTA	
SCALE	NTS	DATE	3-4-10
		SHEET	1 of 3

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
---	---	---	---




(07)
BOTTOM FOAM

 RED BARN MACHINE	
TITLE M/R BLADE TRIM TAB TOOL KIT	
DWG NO. RBW895-3101-04-201-07	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS .XX ± .01 ANGLES X ± .1	
METRIC REF. .Xmm ± .1mm FRACTIONS ± 1/32 ANGLES ± 5°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	
DATE 12-10-13	
SHEET 2 of 3	
DRAWN BY: SMITH APPROVED: <i>D Weil</i> HEAT TREAT: FINISH SPEC: USED ON MODEL: AGUSTA	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
---	---	---	---



TOP FOAM

RED BARN MACHINE	
TITLE	
M/R BLADE TRIM TAB TOOL KIT	
DWG NO.	REV
RBW895-3101-04-201-09	1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS: .XXX ± .005 METRIC REF: .Xmm ± .1mm FRACTIONS: XX ± .01 ANGLES: X ± 1°	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE	DATE
NTS	12-10-13
SHEET 3 of 3	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
---	---	---	---

NOT APPROVED FOR PRODUCTION

ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS
			-1	-		-	-
	ASSY #						

RB

RED BARN MACHINE

TITLE

DWG NO.

REV

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES

TOLERANCES ON:

DECIMALS

.XXX ± .005

.XX ± .01

.X ± .1

METRIC REF.

.Xmm ± .1mm

FRACTIONS ± 1/32

ANGLES ± 5°

UNLESS OTHERWISE SPECIFIED
1. BREAK ALL SHARP EDGES
015 x 45° PR .015 R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

SCALE

NTS

DATE

SHEET

1 of 1

DRAWN BY:

PERRITT

APPROVED

HEAT TREAT

FINISH SPEC

USED ON MODEL

